

HP Color LaserJet CM1312 MFP series



The HP Color LaserJet CM1312 MFP series is a full-featured multifunction device designed to meet all your printing and imaging needs. With innovative print technologies and in-house marketing tools, your business can create high quality marketing materials, and communicate and sell more effectively. This device is the complete business colour solution for your office that stretches your potential, not your budget.

The HP Color LaserJet CM1312 MFP series lets you print, copy, scan and fax¹ while delivering professional colour results — all in one compact design.



PAPER HANDLING

- Expanded media support
- 50-sheet automatic document feeder (ADF)1

 Turn scanned text into editable files with Readiris Pro OCR Software

- 150-sheet multipurpose input tray
- 125-sheet face-down output bin

NETWORKING

 Hi-Speed USB 2.0 port, RJ-11 fax port¹, RJ-11 line-out telephone port¹

Built-in photo memory card slots

• 10/100 networking port¹

RELIABILITY

 Proven HP LaserJet MFP engine and HP's legendary reliability

with fax storage

 Backed by HP's award-winning customer service and support

¹ Only available for HP Color LaserJet CM1312nfi MFP.

² Exact speed varies depending on system configuration, software application, driver, and document complexity.

³ An InfoTrends study shows the typical office print job is three to five pages long: www.infotrends.com/public/Content/Presentations/officeprinteruse.pdf See HP average print time versus competition: www.hp.com/qo/whywait

⁴ Instant-on technology uses cutting-edge fuser technology to produce the first page faster when a printer is coming out of low power mode so the print job is done sooner.


Device memory of 160 MB RAM for HP Color Laserlet CM1312nif MFP, 128 MB RAM for HP Color Laserlet CM1312 MFP.

Professional, high quality results


Through innovative printing technologies such as HP ImageREt 3600 and the new generation HP ColorSphere toner, the HP Color LaserJet CM1312 MFP series deliver sharp and vibrant results for professional-looking collateral in-house — giving you the ability to manage marketing materials and budget, and helping to take your business to the next level.

Superior image enhancements. HP ImageREt 3600 uses multi-layering technology and adaptive halftoning to produce high quality images, text and graphics.


Innovative print technologies for best results



Professional-quality documents. New generation HP ColorSphere toner is chemically-grown and spherical in shape to deliver increased dynamic range of colours and gloss levels for professional-looking documents in-house.



Get your prints, fast. With its four individual cartridges aligned in fixed positions, each colour is applied directly to the paper with just a single pass for smoother and faster print results.



Automatic photo mode for print and copy.

toner particles

Enjoy the best image quality automatically as the MFP can intuitively detect the type of media and optimise output quality. Or, simply choose the printing and copying preference menus for best possible results.





Digitise quickly and easily. Capture high quality images and documents to incorporate into presentations. What's more, the flatbed CCD scanner is great for scanning books, ledgers and 3-D objects.

Hard cover book


Versatile printing options. The MFP supports a broad range of media from 76 x 127 mm to 216 x 356 mm, and from everyday to speciality papers, making it easy to create a variety of business documents and marketing materials.



Create high-impact collateral with added tools.

Create and print high quality, professional marketing materials easily with:

- Marketing Resources Centre², a resourcerich Web portal provides professionallydesigned templates, free online training and links to other design resources (Included in printer's installation software)
- Complimentary HP In-house Marketing Starter Kit with over 100 design templates for creating documents
- 3 types of sample specialty papers, valuable discounts on stock images and logo creation are bundled with the MFP



Only available for HP Color LaserJet CM1312nfi MFP.

² The Marketing Resources Software may be downloaded for free through the URL included with the MFP's installation software. For more information, visit www.hp.com/go/ihm

Give your business a productivity boost

Innovative features transform the way you print, copy, scan and fax¹, and improve document workflow in your office.



Enjoy shorter print jobs with first-page-out as fast as 26 seconds for black-and-white and 32 seconds for colour pages. With Instant-on technology², the Time To Completion (TTC)³ of a typical office print job is two times faster from low power mode than on devices without it. This technology also uses up to 50% less energy than traditional fusing, making it more energy-efficient. Lower power consumption translates to lower utility bills.

Time To Completion³ with
Instant-on technology²

Rewern up find


First-page-out

Fast


2 X

faster

Save time, cost and energy. Get instant copies and scans with Instant-on Copy. Utilising LED light source — an already-stable, instant-on light source — it does not require warm-up for scanning so copy jobs can begin quickly from low power mode. This LED based technology is cleaner, more reliable and energy-efficient so you can reduce the cost of owning a MFP.



Walk-up scan-to convenience. With scan-to features, you can scan documents directly from the MFP to network folder or email.



Simplify document workflow and save on cost.

Send fax on your PC via the MFP for greater convenience without having to print, and your business can save on printing cost while enjoying improved productivity.



¹ Only available for HP Color LaserJet CM1312nfi MFP.

² Instanton technology uses cutting-edge fuser technology to produce the first page faster when a printer is coming out of low power mode so the print job is done sooner.

³ An InfoTrends study shows the typical office print job is three to five pages long: www.infotrends.com/public/Content/Presentations/officeprinteruse.pdf See HP average print time versus competition: www.hp.com/go/whywait

Design features for ease of use

The HP Color LaserJet CM1312 MFP series is designed to be easy to install, use and maintain. With its thoughtful features and functionality such as installation wizards, intuitive control panel and integrated networking capability, it's the best office device to share and multi-task efficiently.



Flatbed scanner captures documents, photos, and 3D objects such as books, ledgers, magazines, and thick, bound files.



2.4-inch colour graphical display! supports localised languages, photo preview of thumbnail images and shows device status.

Express installer and the enterprise installer enables quick and easy

set-up, installation and configuration of the device to specific preferences.

Readiris Pro OCR software

scans documents by converting images and text into a form that can be easily edited in the computer.



HP Color LaserJet CM1312nfi MFP shown



Scan-to functionality scans documents and images directly to an email or folder

Intuitive control panel

using the MFP.

for simple navigation and ease-of-use.

10/100 Base-T networking¹

lets you connect the MFP to a network so multiple users can take advantage of the device's functions.



Photo memory card slots¹

allows easy access and printing of photos directly from the MFP without a PC.

Only available for HP Color LaserJet CM1312nfi MFP.

HP LaserJet quality and reliability

Backed by renowned HP reliability and support, your business can have total confidence and peace of mind with the HP Color LaserJet CM1312 MFP series.



PC Magazine Readers' Choice Award for service and reliability for 16 straight years.

September 18, 2007—HP Printers

PC Magazine Readers' Choice Award Logo is a trademark of Ziff Davis Publishing Holdings Inc. Used under license.



Around the clock service and support HP LaserJets are backed with a one-year limited warranty including phone support 24/7 one-stop access

phone support 24/7 one-stop access to tools and information for self-help troubleshooting. You can also choose to enhance your warranty protection with a wide selection of affordable HP Care Pack Services.

HP Color LaserJet CM1312 MFP (CC430A)



I/O panel

- Colour flatbed scanner
- 125-sheet output bin
- One-door access for easy cartridges replacement
- 150-sheet multipurpose tray
- Intuitive control panel with 2-line, 16-character LCD display
- 6 A powerful 450 MHz processor and 128 MB memory
- Hi-Speed USB 2.0 port

HP Color LaserJet CM1312nfi MFP (CC431A)



I/O panel

All the features of the base model, plus:

- 50-sheet automatic document feeder
- Intuitive control panel with 2.4-inch colour graphical display and built-in Help function
- Reduction optics/charge-coupled device (RO/CCD) colourflatbed scanner
- Photo memory card slots
- Fax port
- 10/100 networking port
- 160 MB RAM memory

Maximise the performance of HP Color LaserJet CM1312 MFP series with HP accessories and supplies



Q6264A

Connect directly with the Hi-Speed USB A to B printer cable (6-foot).



CB540A, CB541A, CB542A, CB543A

HP's all-in-one print cartridges with new generation HP ColorSphere toner are designed with HP Color LaserJet CM1312 MFP series to deliver consistent quality and reliable printing.



Choose from a selection of HP papers to create professionalquality documents in your office.

HP's commitment for a safer environment

With HP's Design for the Environment initiative, products are designed with their entire life cycle in mind — from product design to manufacturing, and from usage to recycling — in an effort to reduce energy, paper, packaging and materials used. By providing customers with safe, high quality products that are environmentally-sound throughout their life cycle, HP aims to reduce the environmental impact of our products, and that of our customers.



Simplify the management and disposal

of products. Through HP Planet Partners¹

programme available in more than

40 countries.

a free, convenient return and recycling

making web printing more eco-friendly and

Use less paper. By printing on both sides

produce 2-up and 4-up copies (multiple

pages on a single sheet of paper) to

with manual two-sided printing. Plus, easily

less wasteful

conserve resources.

¹ Programme availability varies. HP printing supplies return and recycling is currently available in more than 40 countries, territories and regions in Asia, Europe, and North and South America through the HP Planet Partners programme.

HP Color LaserJet CM1312 MFP series

Technical specifications

| | HP Color LaserJet CM1312 MFP (CC430A) | HP Color LaserJet CM1312nfi MFP (CC431A) |
|---|---|--|
| | | |
| Print and copy speed ¹ | Black-and-white: up to 12 ppm; Colour: up to 8 ppm (A4/letter) | |
| First-page-out | Black-and-white: as fast as 26 seconds from Ready mode; Colour: as fast as 32 seconds from Ready mode; Time To Completion for a typical office print job ² : as fast as 54 seconds (A4/letter) | |
| Resolution | Printing: up to 600 x 600 dpi; HP ImageREt 3600, HP ColorSphere toner, HP edge-enhancement technologies; Scanning: up to 1200 dpi optical resolution, up to 19,200 dpi enhanced resolution | |
| Features | | |
| Copying | Up to 99 multiple copies, reduce/enlarge from 25 – 400%, contrast (lighter/darker), quality (copy optimise), number of copies, paper size, paper type, multi-page copy, collation, copy draft, image adjustment (lightness, contrast, sharpen, background removal, colour balance, greyness) | |
| Faxing | - | Up to 36.6 kbps, auto fax reduction, fax forwarding, fax polling (receive only), broadcasting (up to 120 locations), speed dial (up to 120 numbers), auto redialing, PC faxing supported, delayed sending, distinctive ring, telephone mode supported, up to 250 pages fax memory ³ |
| Scanning | Colour flatbed scanner, 54×70 mm (2.1 \times 2.8 inch) to 216×297 mm (8.5 \times 11.7 inch); Remole initiated scanning via HP Director, TWAIN complicant or WIA-complicant software, HP Solution Centre software; file types: BMP, GIF, JPG, PNG, TIF, PDF | Colour flatbed scanner and automatic document feeder (ADF), $102 \times 152 \text{ mm}$ (4 \times 6 inch) to $216 \times 356 \text{ mm}$ (8.5 \times 14 inch); remote initiated scanning via HP Director, TWAIN-compliant or WIA-compliant software, HP Solution Centre software; walkup initiated scanning via front control panel (preconfiguration via software required); file types: BMP, GIF, JPG, PNG, TIF, PDF |
| Photo memory cards supported | - | CompactFlash Type I and II, Memory Stick, Memory Stick PRO, Memory Stick Duo, Secure Digital, MultimediaCard, xD-Picture Card |
| Processor | 450 MHz | |
| Memory | 128 MB | 160 MB |
| Recommended monthly volume ⁴ | ⁴ 250 to 1,500 pages | |
| Maximum monthly duty cycle ⁵ | Up to 30,000 pages | |
| Paper | | |
| Handling | 150-sheet multipurpose input tray, 125-sheet face-down output bin, two-sided printing (manual) | |
| Sizes | 76 x 127 mm (3 x 5 inch) to 216 x 356 mm (8.5 x 14 inch); A4, A5, A6, B5 (ISO, JIS); letter, legal, executive, envelopes (No. 10, Monarch) | |
| Weights | 60 to 176 g/m² (16 to 47 lb), up to 200 g/m² (53 lb) with HP Laser Cover papers, up to 220 g/m² (59 lb) with HP Laser Glossy Photo papers | |
| Туре | Paper (bond, brochure, colour, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), transparencies, labels envelopes, cardstock | |
| Connectivity | | |
| Interfaces | Hi-Speed USB 2.0 port | Hi-Speed USB 2.0 port, 10/100 Base TX with RJ-45 connector, 2 RJ-11 ports, photo memory card slot |
| Languages | HP PCL 6, HP postscript Level 3 emulation, HP PCL5c emulation; Fonts: 80 TrueType PCL 6, 80 TrueType PostScript | |
| Client operating system | Microsoff® Windows® 2000, Windows XP® Home, Windows XP Professional, Windows Server 2003, Certified for Windows Vista®; Mac OS X v10.3, v10.4, v10.5 and later | |
| Network operating system | - | Windows 2000 (print drivers only), XP Home, XP Professional, XP 64-bit, Windows Server 2003/2008, Windows Vista®; Mac OS X v10.3 or higher, Red Hat/SuSE Linux 6.x or higher, Novell NetWare 3.2 or higher (NDPS-TCP/IP only); Citrix MetaFrame (print only); Windows Terminal Services (print only) |
| Network protocol | - | Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCPIP port 9100 Direct Mode, LPD (raw que support only), Web Services Printing; Photo card: CIFS; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv1, HTTP |
| Minimum system requirements | PC: Server 2003: any Pentium II processor or higher, 64 MB RAM, 50 MB available hard disk space, SVGA 800 x 600 monitor with 16-bit colour (print driver, scan driver only); Windows 2000*, XP Home, XP Professional: any Pentium II processor (Pentium III or higher recommended), 128 MB RAM, 250 MB available hard disk space, SVGA 800 by 600 monitor with 16-bit color, Internet Explorer 5.5 or higher (full install); 1 GHz processor, 512 MB RAM (Windows Vista*, check user guide for minimum hard drive space); CDROM drive, USB port Macintosh: Mac OS X v10.3.9, v10.4 x, v10.5 x; PowerPC G3, G4, or G5 processor; Intel Core processor; 80 MB RAM, 30 MB available hard disk space; USB port, CDROM drive | |
| Dimensions (w x d x h) | 437 x 455 x 405 mm (17.2 x 17.9 x 16 inch) | 497 x 490 x 485 mm (19.6 x 19.3 x 19.1 inch) |
| | 21.2 kg (46.7 lb) | 24.7 kg (54.5 lb) |

| Environmental ranges Temperature Rec Sto Relative humidity Rec Altitude O to Power consumption Act Sle (TE see Acoustics® Soi ina cop Required input voltage® 11C 22' Power certifications CM GB Coo ina CD CD EN CO CD EN CO CD PST | P; preinstalled introductory 750-page black, cyan, magenta, yellow HP Color Laserlet print cartridges with ColorSphere er'; in-box documentation (Getting Started Guide, support rt); CD (User's Guide and device software); power cable; itrol panel faceplate; Readiris PRO OCK software and istration card, Marketing Starter Kit (includes specially dia samples, discounts to partner offerings, document plates); USB cable |
|---|---|
| Temperature Rec Sto Relative humidity Rec Altitude O to Power consumption Act Sle (TE see Acoustics® Source Required input voltage® 11C 220 Power certifications CM GB Coo COC PST | e-year, return to authorised service centre, limited hardware rranty; telephone and Web support (varies according egion) |
| Relative humidity Rec Altitude 0 to 1 Power consumption Act Sle (TE see Acoustics® Sou ina cop Required input voltage® 110 220 Power certifications CM GB coo 11+ GB COC 20 PST | |
| Altitude 0 h Power consumption Sle (ITE See Acoustics® Sou ina cop Required input voltage® 110 221 Power certifications CM GB cot 1+ GB cot 20 PST | commended: 20 — 27° C (68 — 81° F); rage: -20 — 40° C (-4 – 104° F) |
| Power consumption Acoustics® Acoustics® Acoustics® Sociate Required input voltage® Power certifications CM GB coc 1+ GB coc PST | commended: 20 — 70%; Storage: 10 — 95% |
| Acoustics® Sle (TE see Acoustics® Sou ina cop Required input voltage® 11C 221 Power certifications CM GB cot 1+ GB cot 20 PST | o 3,048 m (0 to 10,000 ft) |
| Required input voltage® 111C 221 Power certifications CM Clc EN GB cot 1+ GB cot 20 | ive, print: 295 watts; copy: 310 watts; Ready: 21 watts; ep: 7.2 watts; Off: 0 watts; Typical Electricity Consumption C): 1.597 KWh/Week; ENERGY STAR* qualified models, www.hp.com/go/energystar |
| Power certifications CM Clc EN GB co 1+ GB co 20 | and power Active, print: 6.1 B(A); copy: 6.4 B(A); Ready: udible; Bystander sound pressure Active, print: 47 dB(A); by: 50 dB(A); Ready: inaudible |
| Clo EN GB cou 1+ GB cou 20 | 0 — 127 V (±10%), 60 Hz (±3 Hz); 0 — 240 V (±10%), 50 Hz (±3 Hz) |
| ÝD KW | 1312/CM1312nfi: EMC: CISPR 22: 2005/EN 55022: 2006 ss B, EN 61000-3:2: 2000+A2, EN 61000-3:3: 1995+A1, 55024: 1998+A1+A2, FCC Tille 47 CFR, ICES-003, 92541998, other EMC approvals as required by individual ntries Safely: IEC 60950-1 (International), IEC 60825 A1+A2, EN 60825-14A1-A2 (Class 1 Laser/IED Device) 4943-2001, other safely approvals as required by individual ntries CM1312nfi: Telecom: ES 203 021, FCC Part 68, PTC-0 (New Zealand), AS/ACIF 5002: 2001 (Australia), IDA N1 (Singapore), IPS002-01 (Malaysia), IG 0005-11 (wan), HKTA 2011 (Hong Kong SAR), YD514, YD7589, 703, GB3382 Typical Electricity Consumption (TEC): 1.597 /h/Week (China); other Telecom approvals as required by vidual countries |

¹ Exact speed varies depending on system configuration, software application, driver, and document complexity.

To learn more, visit www.hp.com/learn/suresupply

- An InfoTends study shows the typical office print job is three to five pages long; www.infotends.com/public/Content/Presentations/Officeprinteruse.pdf. Time To Completion of a typical office print job tested on HP and select competing products. Actual results may vary.
- ³ Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.
- ⁴ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- 5 Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs.
- Ot all protocol and operating system configurations are supported. For more information, go to www.hp.com/support/net_printing
- 7 Introductory cartridges: Average continuous composite cyan/yellow/magenta cartridge yield 750 pages and average continuous black cortridge yield 750 pages. Replacement cartridges: Average continuous composite cyan/yellow/magenta cartridge yield 1,400 standard pages and average continuous black cartridge yield 2,200 standard pages. Declared yield values in accordance with ISO/IEC 19798. Actual yields vary considerably based on images printed and other factors. For more information, visit www.hp.com/go/learnoboutsupplies
- Configuration tested: imaging model, simplex printing, A4 paper at an average of 12 ppm.
- Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.



HP SureSupply







ENERGY STAR and the ENERGY STAR mark are U.S. registered marks. Microsoft, Windows, and Windows XP are U.S. registered trademarks of Microsoft Corporation. Windows Vista is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries.

© Copyright 2008 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Ordering information

umber

HP Color LaserJet CM 1312 MFP HP Color LaserJet CM 1312nfi MFP

Both Control of

.B540A HP Color LaserJet Black Print Cartridge .B541A HP Color LaserJet Cyan Print Cartridge .B542A HP Color LaserJet Yellow Print Cartridge .B543A HP Color LaserJet Magenta Print Cartridge

onnectivit

36264A Hi-Speed USB A to B printer cable (6-foot)
C5520A Hi-Speed USB 2.0 A to B printer cable (9-foot)
C7535A Network cable (7-foot)*
C7537A Network cable (14-foot)*
C7537A Network cable (25-foot)*
C7542A Network cable (50-foot)*

Service and support

131102 HP Network Install Inkjet/Personal LaserJet Servit 4C128PE HP 1-year Post-warranty Phone Assist Service 1E199E HP 3-year Return Hardware Service 1E201A HP 3-year Next Business Day Exchange Service 1E201E HP 3-year Next Business Day Exchange Service

UE662E HP 2-year/ 1-lime Replace Service
UE663E HP 2-year Return Service
UE663E HP 2-year Next Business Day Exchange Service
UE666PE HP 1-year Post-warranty/ I-lime Replace Service
UE666PE HP 1-year Post-warranty/ I-lime Replace Service
UE668PE HP 1-year Post-warranty/ I-lime Replace Service

* Only for HP Color Laserlet CM1312nfi MEP

Paner

Asia Pacific: www.hp.com/apac/printingsupplies Asia: 65-6253-8500 Australia/New Zealand: 61-2997-2299LAR

Calution

www.hp.com/go/gsc

HP Customer Information Centre (for product information)
Australia 13 23 47
China 800 820 2255

mind ong Kong 800 928 833 dia 1800 42 54 999 (from MTNL/BSNL 3030 4499 (from mobile) donesia 0800 1111 222

Korea 080 773 0700
Malaysia 1800 88 9886
New Zealand 080 733 547
Philippines 1800 1441 6688
Singapore 1800 278 8100
Taiwan 0800 236 686
Thailand +662 353 9000
Yethaam +848 930 2814

Bangladesh, Bhutan, Brunei, Cambodia, Maldives, Nepa

HP Customer Care Centre (for post-sales service)

Nustralia 13 10 47 post-sail turbustralia 13 10 47 post-sail turbustralia 13 10 48 post-sail turbustralia 1800 810 388 post-sail turbustralia 1800 112 267 post-sail turbustralia 1800 112 267 post-sail post-

